



Recommended Vaccination/Medication Protocol for Canine Kennels

1 Week:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
2 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
3 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
4 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
4 ½ Weeks:	* Vaccinate with Parvo Only Vaccine (Neopar) -1cc under the skin
5 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
6 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
	* Vaccinate with DHPP (5- Way) - 1cc under the skin
	* Vaccinate with Bordetella (Kennel Cough)
7 Weeks:	* Deworm with Fenbendazole - 1cc per 4 lbs. By mouth for 3 days
	* Deworm with Ponazuril/Toltrazuril -1cc per 4 lbs. By mouth for 2-3 days
8 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
	* Vaccinate with DHPP (5- Way) - 1cc under the skin
9 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
10 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
	* Vaccinate with DHPP (5- Way) - 1cc under the skin
11 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
12 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
	* Vaccinate with DHPP+L4 (9- Way) - 1cc under the skin
13 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
14 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
	* Vaccinate with DHPP+L4 (9- Way) - 1cc under the skin
15 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
16 Weeks:	* Deworm with Pyrantel Pamoate -1cc Per 5 lbs.
	* Vaccinate with DHPP (5- Way) - 1cc under the skin
16 + Weeks:	* Deworm with Heartgard Plus- Give 1 chew by mouth once a month
	* Give antiparasite (Nexgard)- Give 1 chew by mouth once a month

